

RECEIVED
CENTRAL FAX CENTER

JUN 22 2007

United States Patent & Trademark Office
Rule 132 Affidavit

Appl. No. : 10/800,608
Applicant : Stephen Truesdale Carney
Filed : March 15, 2004
TC/A.U. : 1655
Examiner : Patricia A. Leith

Affidavit of Stephen Truesdale Carney

I, Stephen Truesdale Carney, hereby duly depose and say as follows:

1. I hired Lawrence D. Rink, M.D. FACC ("Dr. Rink"), to conduct the Folic Acid and Alfalfa, The FALL Study, (the "Study") described and made part of the above referenced Patent Application. For your convenience, a copy of said Study is included herewith as Exhibit A. The purpose of the Study was to prove the claims made in the above referenced Patent Application filed on March 15, 2004.
2. On my behalf, Dr. Rink completed the Study on February 12, 2002 at which time he signed and dated the Study.
3. Dr. Rink has never published the Study. See Second Affidavit of Lawrence D Rink, M.D. FACC included herewith for your convenience as Exhibit B.
4. On June 7, 2003, during the construction of my company's website, NCB3.COM, I published the Study on NCB3.COM. See Archive of Website included herewith as Exhibit C.
5. Our first website was completed and was fully operational for the public on November 18, 2003. See Exhibit C.
6. On July 19, 2003, I spoke at a conference presented by the International Sprout Growers Association at which I provided to the attendees our findings from the Study. The Study was later published on the website of one of the conference participants International Specialty Supply. This is the publication you referenced in your last rejection letter to me.
7. To the best of my knowledge, the Study was not published before June 7, 2003.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine and imprisonment, or both, under 18 U.S.C. 1001, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this declaration is directed.

Signed under the pains and penalties of perjury this 21st day of June, 2007.



Stephen T. Carney

EXHIBIT A[0043] *The Study.***FOLIC ACID AND ALFALFA
The FALL Study****Background:**

There have been reports that alfalfa sprouts will lower total cholesterol and LDL levels in the blood. This has not been tested in a prospective, randomized or blinded trial.

Methods and Results:

45 patients, most with known coronary artery disease and many under treatment for hyperlipidemia were selected for the study. Patients were randomly assigned to either Group A placebo, Group B low dose alfalfa, and 230 mcg of folic acid, or Group C double dose alfalfa and folic acid.

The trial was 6 weeks and all patients were instructed to follow a low fat, low cholesterol diet, perform regular exercise in moderation, and to take the medication regularly. Group A (placebo)-one capsule per day, group B-two capsules per day, and group C-two capsules twice per day.

	Group A	Group B	Group C
LDL	5.9% decrease	16.6% decrease	8.6% decrease
HDL	3.2% decrease	11.2% increase	1.5% increase
C-reactive protein	33.6% increase	24.4% decrease	50.4% decrease
Homocysteine	5.6% increase	11.5% decrease	6.3% decrease
Triglycerides	2.4% decrease	1.4% decrease	15.0% decrease

Statement:

Cardiovascular disease is the most common cause of death and disability in the United States. More people die from cardiovascular disease than all of the other causes of death combined. Cardiovascular disease has been the most common cause of death in the United States since 1900 with the exception of the year 1918, during a flu outbreak. Multiple epidemiologic and clinical blinded prospective studies have indicated that lowering LDL levels will decrease the risk of cardiac events in primary prevention and will decrease recurrent cardiac events and decrease mortality in secondary prevention. The FDA has approved many drugs to be used in lipid lowering. Approximately 15 billions dollars per year is spent on lipid lowering medications. An equal amount of money is estimated to be spent on dietary and herbal supplements that do not require FDA approval and which are primarily directed toward lowering the risk of cardiovascular events. There are reports that alfalfa sprouts will lower serum cholesterol LDL levels and possibly raise HDL levels.

Prospective studies using diet as a means of controlling risk factors for cardiac events and decreasing cardiac events have been disappointing. The information regarding omega-3 fatty acids probably offers our best opportunity in this regard. The Adult Treatment Panel III has recommended lifestyle changes including exercise and dietary modification as a major means of lowering cardiovascular risk and future cardiac events. Among a list of emerging "risk factors" are homocysteine levels and C-reactive protein. Elevated levels of homocysteine are positively correlated with risk for CHD. Folic acid and possibly B vitamins 6 and 12 have been documented to lower homocysteine levels.

C-reactive protein (CRP) is a marker for inflammation. Coronary artery disease is an inflammatory disease and there is now substantial evidence that persons with elevated high sensitivity C-reactive protein (hs-CRP) are at increased risk for future cardiac events. Inflammation within coronary plaques leads to plaque rupture and cardiac events. Statin drugs and a healthy lifestyle are known to reduce high sensitivity C-reactive protein. The Writing group of the 2002 workshop on inflammation markers and cardiovascular disease recommended measurement of hs-CRP in conjunction with other risk factors in people with increased risk of coronary artery disease. In many studies hs-CRP has been a better predictor of future cardiac events than LDL.

With this in mind, we undertook a study to determine the effects of alfalfa sprouts and folic acid on known risk factors of coronary artery disease including total cholesterol, LDL, HDL, triglycerides, high sensitivity C-reactive protein, homocysteine levels, and apolipoprotein (b).

All patients were already under some form of treatment for hyperlipidemia. The patients were advised not to change their medication prior to enrollment to the study or during the trial. The study was first discussed with the patients and they were supplied capsules which either contained placebo, Group B 560 mg of alfalfa sprout powder and 230 mcg of folic acid, 2 capsules each day for a total of 1,120 mg alfalfa sprout powder and 460 mcg of folic acid or Group C, 2 capsules twice a day for a total of 2,240 mg of alfalfa sprout powder and 920 mcg of folic acid.

All patients underwent a history and physical exam prior to the start of the study and prior to blood samples being obtained. All patients received instruction in a low fat, low cholesterol diet, similar to the previously recommended Step 2, American Heart Association diet. All patients were instructed in exercise in moderation.

The majority of patients in this study were already following this type of lifestyle. Over 50% of the patients were already receiving statin drugs and many of the other patients were intolerant to statins because of myalgias or true rhabdomyolysis.

Many patients were already receiving folic acid.

Results:

1. All patients tolerated the medication well.

2. One patient in the placebo group stopped the medicine because she felt that the drug irritated her stomach.
3. One patient dropped out of Group C for personal reasons.
4. One patient in Group C who was taking 80 mg of an atorvastatin a day discontinued his atorvastatin during the study and therefore he had a marked increase in LDL level and his results were not included in the averages.

The results of the study were encouraging in that the LDL levels decreased in both treatment groups and more than in the placebo group. HDL also increased in both treatment groups and decreased in the placebo group. A surprising potential benefit of this treatment was the lowering of high sensitivity C-reactive protein levels. This has not been previously reported and the possible mechanism for this is not known, unless it is merely on the basis of lowering LDL levels. A similar lowering was not noted in the placebo group.

The results of the study are impressive since the average baseline LDL levels were only 133 and 151 in Groups B and C. The reason for a greater percentage reduction of LDL and raising HDL in Group B is not clear.

A combination of alfalfa sprout powder and folic acid appears to be a reasonable relatively inexpensive method for lowering one's risk for cardiac events. This should be tested in a larger, double blinded prospective trial to see if this not only lowers known cardiac risk factors but also lowers the number of cardiac events.

Lawrence D. Rink, M.D., F.A.C.C.
Clinical Professor of Medicine
Indiana University School of Medicine
February 12, 2003

EXHIBIT B

RECEIVED
CENTRAL FAX CENTER

JUN 22 2007

United States Patent & Trademark Office
Rule 132 Affidavit

Appl. No. : 10/800,608
Applicant : Stephen Truesdale Carney
Filed : March 15, 2004
TC/A.U. : 1655
Examiner : Patricia A. Leith

Sent May 13th 07
Sent June 7-07

Second Affidavit of Lawrence D. Rink

I, Lawrence D. Rink, M.D., F.A.C.C., hereby duly depose and say as follows:


1. I am a Fellow of the American College of Cardiology and have been certified member of the American Board of Internal Medicine, Cardiovascular Disease, since 1983.
2. I have lectured, performed clinical studies and published numerous articles on the issues of cardiovascular disease and hyperlipidemia.
3. Upon the request of Mr. Stephen T. Carney and as a work for hire pursuant to a valid Non Disclosure and Confidentiality Agreement, I conducted the Folic Acid and Alfalfa The FALL Study, (the "Study") described and made part of the above referenced Patent Application.
4. While I am the author of the Study, the Study was completed as a work for hire and on behalf of the Applicant, Stephen T. Carney. As of the date of this Affidavit, I have never caused said Study to be published or decimated to the public.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine and imprisonment, or both, under 18 U.S.C. 1001, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this declaration is directed.

Signed under the pains and penalties of perjury this 13 day of May, 2007.


Lawrence D Rink, M.D. FACC

EXHIBIT "C"



Internet Archive Wayback Machine - Windows Internet Explorer

http://web.archive.org/web/20070622075316/http://ncb3.com

Web Search | Bookmarks | Settings | Messenger | Mail | Yahoo | Answers | Games

Internet Archive Wayback Machine

Main Web Address: http:// All Take Me Back Any Page

Searched for <http://ncb3.com> 45 Results

Note: some duplicates are not shown. See 1
 * denotes when site was updated.

Search Results for Jan 01, 1996 - Jun 20, 2007

1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
0 pages	0 pages	0 pages	0 pages	0 pages	0 pages	0 pages	5 pages	17 pages	17 pages	4 pages	0 pages
						Jun 07 2002	Feb 12 2004	Jan 15 2005	Jan 11 2006		
						Jun 12 2002	Mar 28 2004	Jan 31 2005	Jan 27 2006		
						Jul 13 2002	Apr 04 2004	Feb 03 2005	Feb 05 2006		
						Aug 05 2002	May 20 2004	Feb 03 2005	Feb 18 2006		
						Oct 18 2002	May 25 2004	Feb 06 2005			
						Nov 10 2002	Jan 10 2004	Feb 08 2005			
						Dec 03 2002	Jan 11 2004	Feb 11 2005			
							Jun 15 2004	Feb 12 2005			
							Jul 23 2004	Mar 11 2005			
							Jul 27 2004	Apr 07 2005			
							Jul 28 2004	Apr 22 2005			
							Aug 23 2004	Apr 24 2005			
							Aug 31 2004	Jun 04 2005			
							Sep 18 2004	Nov 05 2005			
							Sep 24 2004				
							Nov 28 2004				
							Dec 17 2004				

http://web.archive.org/web/20070622075316/http://ncb3.com/

Address: ncb3.com

Natural Cholesterol Balance - Windows Internet Explorer

http://web.archive.org/web/20030617220106/http://ncb3.com/

Web Search | Bookmarks | Settings | Messenger | Mail | Yahoo | Answers | Games

Address: ncb3.com

Natural Cholesterol Balance™

help maintain healthy levels of:
 - HDL, LDL,
 - C-reactive protein,
 - Homocysteine,
 - Triglycerides

here for more information

Natural Cholesterol Balance™ is the result of five years of extensive research to control cholesterol naturally. A double blind clinical study of 45 patients was completed in February 2003 and proved the efficacy of the product. Natural Cholesterol Balance™ is all natural and organically grown in a controlled environment.

ORDER

Quick Facts

LDL	up to a 16.6% decrease
HDL	up to a 11.2% increase
C-reactive protein	up to a 50.4% decrease
Homocysteine	up to a 11.3% decrease
Triglycerides	up to a 15.0% decrease

Dr. Lawrence D. Rink
 M.D., FACC

Natural Cholesterol Balance™

Helps maintain healthy levels of:
HDL, LDL,
C-reactive protein,
Homocysteine,
Triglycerides
Here for more information

FOLIC ACID AND ALFALFA
The FALL Study

June 7th
under
construction
but published
on website

Background:

There have been reports that alfalfa sprouts will lower total cholesterol and LDL levels in the blood. This has not been tested in a prospective, randomized or blinded trial.

Method and Results:


45 patients, most with known coronary artery disease and many under treatment for hyperlipidemia were selected for the study. Patients were randomly assigned to either Group A placebo, Group B low dose alfalfa, and 230 mcg of folic acid, or Group C double dose alfalfa and folic acid.

The trial was six weeks and all patients were instructed to follow a low fat, low cholesterol diet, perform regular exercise in moderation, and to take the medication regularly. Group A (placebo)-one capsule per day, Group B-two capsules per day, and Group C-two capsules twice per day.

	Group A	Group B	Group C
LDL	5.9% decrease	16.6% decrease	8.6% decrease
HDL	3.2% decrease	11.2% increase	1.5% increase
C-reactive protein	33.6% increase	24.4% decrease	50.4% decrease
Homocysteine	5.6% increase	11.5% decrease	6.3% decrease
Triglycerides	2.4% decrease	1.4% decrease	13.0% decrease

Statement:

Cardiovascular disease is the most common cause of death and disability in the United States. More people die from cardiovascular disease than all of the other causes of death combined. Cardiovascular has been the most common cause of death in the United States since 1900 with the



Natural Cholesterol Balance

Helps maintain healthy levels of:
HDL, LDL,
C-reactive protein,
Homocysteine,
Triglycerides

or true macromyolysis.

Many patients were already receiving folic acid.

Results:

1. All patients tolerated the medication well.
2. One patient in the placebo group stopped the medicine because she felt that the drug irritated her stomach.
3. One patient dropped out of Group C for personal reasons.
4. One patient in Group C who was taking 80mg of an atorvastatin a day discontinued his atorvastatin during the study and therefore he had marked increase in LDL level and his results were not included in the averages.

The results of the study were encouraging in that the LDL levels decreased in both treatment groups and more than in the placebo group. HDL also increased in both treatment groups and decreased in the placebo group. A surprising potential benefit of this treatment was the lowering of high sensitivity C-reactive protein levels. This has not been previously reported in the possible mechanism for this is not known, unless it is merely on the basis of lowering LDL levels. A similar lowering was not noted in the placebo group.

The results of the study are impressive since the average baseline LDL

Natural Cholesterol Balance

Helps maintain healthy levels of:
HDL, LDL,
C-reactive protein,
Homocysteine,
Triglycerides

In the placebo group.

The results of the study are impressive since the average baseline LDL levels were only 133 and 151 in Groups B and C. The reason for a greater percentage reduction of LDL and raising HDL in Group B is not clear.

The combination of alfalfa sprout powder and folic acid appears to be a reasonable, relatively inexpensive method for lowering one's risk for cardiac events. This should be tested in a larger, double blinded prospective trial to see if this not only lowers known cardiac risk factors but also lowers the number of cardiac events.

Lawrence D. Rink

Lawrence D. Rink, M.D., F.A.C.C.
Clinical Professor of Medicine
Indiana University School of Medicine

February 12, 2003